



Tork Aftøringspapir Ekstra Kraftig

Farve: Blå Type: Top-Pak



Fordel

- Ekstra stærkt/absorberende takket være QuickDry
- Effektivt til at fjerne olie
- Stærk i våd tilstand
- Beskytter hænderne mod varme/skarpe metaldele
- Godkendt til kontakt med fødevarer
- Tork Easy Handling™, emballage som er let at løfte, åbne og folde sammen



Produktspecifikation

Artikel	System	Længde udfoldet	Bredde udfoldet	Længde foldet	Bredde foldet	Lag	Farve
130083	W7 - Handy box-system	32.4 cm	38.5 cm	10.8 cm	38.5 cm	3	Blå

Beskrivelse

Vores stærkeste papir har fremragende absorberingsevne og beskytter hænderne mod både varme og snavs. Papirets QuickDry egenskaber gør det stærkere og mere absorberende end almindeligt papir og klarer dermed opgaverne hurtigere.



Tork Aftøringspapir Ekstra Kraftig

Farve: Blå Type: Top-Pak

Forsendelsesdata

Forbrugerenhed

EAN	7322540183849
Stk.	200
Højde	238 mm
Bredde	236 mm
Længde	395 mm
Volumen	22.2 dm ³
Nettovægt	1497 g
Bruttovægt	1917 g

Transportenhed

EAN	7322540183849
Stk.	200
Forbrugerenheder	1
Materiale	Carton
Højde	245 mm
Bredde	229 mm
Længde	396 mm
Volumen	22.2 dm ³
Nettovægt	1.50 kg
Bruttovægt	1.92 kg

Palle

EAN	7322540189186
Stk.	14000
Forbrugerenheder	70
Højde	1865 mm
Bredde	800 mm
Længde	1200 mm
Volumen	1.6 m ³
Nettovægt	104.78 kg
Bruttovægt	134.19 kg



Miljø

Content

The fibre composition in the product is virgin fibres

Material

Virgin fibre Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material. Bleaching of fibres Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety. There are different methods used today for bleaching ECF (elementary chlorine free) (where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view. The used functional chemicals are: Wet strength agent Dry strength agent Dye Fixing agents Fluorescent whitening agent Glue Softeners The process chemicals are: Antipitch Protection agent Yankee coating Defoamer Dispersing agents and surfactants pH and charge control Retention aids Broke treatment chemicals Drainage aid

Product safety

The product fulfils the legislative requirements for food safety.

Packaging

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes Fulfilment of essential requirements: Yes Concentration of heavy metals: the sum of Cd, Pb, Hg, Cr6 Date of issue 2006-06-12

Revision date 2010-01-22

Production

This product is produced at Suameer mill, NLSuameer mill is certified according to ISO 14001 and EMAS.



Tork Aftørringspapir Ekstra Kraftig

Farve: Blå Type: Top-Pak

Destruction

For disposal of used product please contact the local authorities. The packaging can be used for material recovery or energy recovery